


Dental Noiseless Oilless Air Compressor, With Condensing Air Dryer, Support 1~60 PCS Dental Chair Units





Condensing air dryer(Optional)

1.Air cooling system: It is mounted on the air tank, the air produced by the compressor is freeze-dried by the air cooling system. After the water in the air is condensed, the air is dried and purified in the air dryer system.

2.Air dryer system: the fillers in the air dryer system are molecular sieves which have the properties of drying and purifying air.

3.Air filter:keep the air pure and keep the motor silent.

4.Automatic drainage system: air dryer system equip with intelligent automatic drainage system. manual drainage is not required.

**TR-OAC01-1**

Support 1 PC dental unit

Power: 600W

Flow: 118L/min

Volt./Hz: 110V/220V, 50/60Hz

Noise Level: 53dB

Tank: 24L

G.W.: 26.3kg, N.W.: 23.9kg

Dimension: 40*40*55cm

**TR-OAC01-2**

Support 2 PCS dental units

Power: 800W

Flow: 155L/min

Volt./Hz: 110V/220V,
50/60Hz

Noise Level: 53dB

Tank: 40L

G.W.: 28.8kg, N.W.: 31.6kg

Dimension: 40*40*63cm

**TR-OAC01-3**

Support 3 PCS dental units

Power: 1200W

Flow: 236L/min

Volt./Hz: 110V/220V,
50/60Hz

Noise Level: 53dB

Tank: 60L

G.W.: 48.8kg, N.W.: 62.3kg

Dimension: 70*33*68cm

**TR-OAC01-4**

Support 4 PCS dental units

Power: 1600W

Flow: 310L/min

Volt./Hz: 110V/220V, 50/60Hz

Noise Level: 54dB

Tank: 60L

G.W.: 51kg, N.W.: 65kg

Dimension: 70*40*71cm

**TR-OAC01-5**

Support 5 PCS dental units

Power: 1800W

Flow: 354L/min

Volt./Hz: 110V/220V,
50/60Hz

Noise Level: 55dB

Tank: 90L

G.W.: 66kg, N.W.: 84.5kg

Dimension: 90*37*68cm

**TR-OAC01-6**

Support 6 PCS dental units

Power: 2400W

Flow: 465L/min

Volt./Hz: 110V/220V,
50/60Hz

Noise Level: 55dB

Tank: 90L

G.W.: 73kg, N.W.: 87.5kg

Dimension: 89*33*70cm

**TR-OAC01-7**

Support 7 PCS dental units

Power: 2400W

Flow: 472L/min

Volt./Hz: 110V/220V, 50/60Hz

Noise Level: 55dB

Tank: 120L

G.W.: 90kg, N.W.: 117kg

Dimension: 110*40*73cm

**TR-OAC01-8**

Support 8 PCS dental units

Power: 3200W

Flow: 620L/min

Volt./Hz: 110V/220V,
50/60Hz

Noise Level: 56dB

Tank: 120L

G.W.: 96kg, N.W.: 123kg

Dimension: 110*38*76cm

**TR-OAC01-10**

Support 10 PCS dental units

Power: 4000W

Flow: 775L/min

Volt./Hz: 110V/220V,
50/60Hz

Noise Level: 58dB

Tank: 150L

G.W.: 110kg, N.W.: --

Dimension: 143*38*75cm

**TR-OAC01-15**

Support 15 PCS dental units

Power: 3600W

Flow: 720L/min

Volt./Hz: 220V

Noise Level: 55dB

Tank: 160L

G.W.: 107kg, N.W.: 133kg

Dimension: 115*40*84cm

**TR-OAC01-20**

Support 20 PCS dental units

Power: 4800W

Flow: 960L/min

Volt./Hz: 380V

Noise Level: 62dB

Tank: 200L

G.W.: 140kg, N.W.: 170kg

Dimension: 135*42*84cm

**TR-OAC01-25**

Support 25 PCS dental units

Power: 6000W

Flow: 1200L/min

Volt./Hz: 380V

Noise Level: 65dB

Tank: 240L

G.W.: 160.4kg, N.W.:
195.5kg

Dimension: 152*46*83cm